


8. Remove 2 screws (see arrows)
Remove OEM head unit



9. OEM dash board with removed head unit



10. Mount mounting brackets to double DIN head unit




11. Install double DIN head unit
Connect all required circuit points and connections. Please see stalk interface manual for connecting stalk interface
Fix navigation with OEM screws




Preperation of facia plate

12. Unclip 2 OEM air vents



Preperation of facia plate


13. Mount them to new facia plate



The Focus is equipped with two kinds of OEM displays


- A: Display with 2 buttons at right side (see arrow)

No trim frame required



- B: Colour Display:


Clip trim frame to facia plate




14. as needed fix speaker with cyanoacrylate adhesive




15. A spare OEM hazard light switch by Ford is required.



16. Mount spare hazard light switch to facia plate. Clip facia plate on dash board. Install everything in reverse order.



4a. Remove 2 screws under OEM radio




5. Unclip OEM panel



6. Remove OEM panel carefully




7. Unplug cables




1. Ford Focus OEM Dashboard
(sample photo)




2. Unclip panel under OEM radio



3. Remove Panel under OEM radio



4. These 2 screws need to be removed



*All installation work must be performed by a qualified professional installer only.
The manufacturer / dealer is not liable for any kind of incidental or indirect damages.*




Installation Manual Double DIN Kit

Ford Focus 2011->

Part-No.: 381114-23-1

Colour: black

Compatible with these double DIN devices
Double DIN Navigation



- 1: Facia Plate
- 2: Mounting Bracket Right Assembly
- 3: Mounting Bracket Left Assembly
- 4: Flat Headed Screw

Spare OEM hazard light
switch by Ford required